Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

A. H. D. No. 143

1.9 AN 52 A H

UNITED STATES DEPARTMENT OF AGRICULTURE Bureau of Animal Industry Animal Husbandry Division

LUNKENT STIL

Reserve BIBLIOGRAPHY ON UTILIZATION OF UREA, AMMONIA AND RELATED NON-PROTEIN NITROGEN COMPOUNDS IN ANIMAL FEEDING

- (1) VÖLTZ, W. (Germany)
 1907. The utilization by herbivora of the amid mixtures occurring in molasses. Arch. Physiol. (Pfluger) 107, pp. 541-563. Exp. Sta. Rec. 19, 1167.
- (2) VÖLTZ, W., DIETRICH, W., and DEUTSCHLAND, A. (Germany)
 1918. The utilization of molasses amids in comparison with protein by the organism of ruminants. Landw. Jahrb. 52, No. 3, pp. 431-455. Exp. Sta. Rec. 46, p. 67.
- (3) VÖLTZ, W. (Germany)

 1919. Significance of amides in the nutrition of ruminants; preliminary communication relative to the replacement of nutrient protein by urea in the case of growing ruminants. Z. Spiritusind 42, 223-4 (1919); Zentr. Biochem. Phys. 21, 473; C. A. 14, 1368 (1920).
- (4) VÖLTZ, W. (Germany)
 1920. The substitution of urea for protein in the diet of growing ruminants;
 The food value of straw and chaff according to Beckman's method.
 Biochem. Z. 102, 151-227 (1920); C. A. 14, 2653 (1920)
- (5) MORGEN, A., SCHÖLER, G., WINDHEUSER, K., and OHLMER, E. (Germany)
 1921. The substitution of protein by urea in sheep and milk-producing
 animals. Feeding experiments carried out in 1918-20 at the Wurttem
 Agricultural Experiment Station at Hohenheim. Landw. Vers. Sta. 99,
 1-25 (1921); C. A. 16, 2167 (1922).
- (6) HENSEN, J. (Germany)
 1922. Feeding experiments with urea for milch cows. Landw. Jahrb. 57, No. 2,
 pp. 141-190. Exp. Sta. Rec. 48, p. 770. C. A. 17, 2462 (1923)
- (7) MORGEN, A., WINDHEUSER, C., and OHLMER, E. (Germany)
 1922. Albumin replaced by urea in the food of milk-producing animals. Landw.
 Vers. Sta. 99, 359-66 (1922); C. A. 17, 2462 (1923)
- (8) RICHARDSEN and BRINKMANN (Germany)
 1922. Dairy cattle feeding experiments with urea. Fühling's Landw. Ztg.
 71, No. 17-18, p. 12. Exp. Sta. Rec. 48, p. 670.
- (9) VÖLTZ, W., DIETRICH, W., and JANTZON, H. (Germany)
 1922. The utilization of urea for milk production in cows. Biochem. Ztschr.
 130, No. 4-6, pp. 323-431. Exp. Sta. Rec. 48, pp. 376-377.
- (10) HONCAMP, F., and SCHNELLER, E. (Germany)
 1923. Urea as a protein substitute for ruminants. Biochem. Z. 138, 461-96.
 C. A. 18, 105.
- (11) HONCAMP, F., KOUDELA, S., and MULLER, E. (Germany)

 1923. Urea as a protein substitute for lactating ruminants. Biochem. Ztschr.

 143, No. 1-2, pp. 111-155. Exp. Sta. Rec. 50, pp. 677-678.

 C. A. 18, 2193.

- (12) HONCAMP, F. (Germany)
 1923. The significance of amides in feeding stuffs. Z. Angen. Chem. 36, 45-7.
- (13) HONCAMP, F., KOUDELA, ST., and Muller, E. (Germany)
 1924. Urea feeding experiments with milk cows. Landw. Vers. Sta. 102, 311-42.
 C. A. 19, 1017.
- (14) LAVROV, B. A., MOLCHANOVA, and OCHOTNIKOVA. (Germany)
 1924. The nitrogen efficiency of urea added to the food of young ruminants
 (goats). Biochem. Z. 153, 71-85; Chem. Soc. Jour. 128 Abst. 1, 464.
- (15) MORGAN, A., WINDHEUSER, C., and OHLMER, E. (Germany)
 1924. Further experiments on the replacement of protein by urea for lactating animals. Landw. Vers. Sta., 103, No. 1-2, pp. 1-40.
- (16) UNGERER, E. (Germany)

 1924. Urea and glycocoll as protein substitutes in experiments with milk goats. Biochem. Ztschr. 147, No. 3-4, pp. 275-355. Exp. Sta. Rec. 53, p. 275. C. A. 19, 315.
- (17) VÖLTZ, W., JANTZON, H., and REISCH, E. (Germany)
 1924. Fattening and nutritional investigations with wether lams in comparing
 urea with peanut cake. Landw. Jahrb. 59, No. 3, pp. 321-340.
- (18) PAASCH, E. (Germany)
 1925. Feeding experiments on goats with ammonium acetate, urea and horn meal
 as protein substitutes. Biochem. Z. 160, 333-85. C. A. 20, 1096.
- (19) PEIPENBROCK, A. (Germany)
 1927. The problem of the substitution of urea for protein in animal nutrition.
 Fortschutte Landw. 2, 650-56. C. A. 22, 1382.
- (20) BRIGL, P. and WINDHEUSER, C. (Germany)
 1931. Silage; (a) from sunflowers (b) with additional urea. Tierernahrung 3,
 220-242. C. A. 25, 5476.
- (21) ZIEMER, FRANZ-HERMANN (Germany)
 1931. Ammonium bicarbonate together with acid sugar-beet cossettes as a protein substitute (A feeding experiment on milk goats). Biochem. Z. 252-422. C. A. 25, 3038.
- (22) EHRENBERG, P., UNGERER, E., and KLOSE, H. (Germany)
 1932. Ammonium bicarbonate as a protein substitute in the feeding of milk
 cows. Biochem. Z. 245, 118-45. C. A. 26, 3285.
- (23) EHRENBERG, P.
 1932. Addition of ammonium salts to prepared silages. Mitt. Deut. Landw. Ges.
 344. Fortschr. Landw. 7, 501. C. A. 27, 2714.
- (24) EHRENBERG, P., and BRIESE, H. (Germany)
 1933. Replacement of food protein by ammonium bicarbonate in the feeding of
 milk cows. Biochem. Z. 257, 194-208. C. A. 27, 2186.

- (25) KIRSCH, W., and JONTZON, H. (Germany)

 1933. The value of ammonium bicarbonate for nitrogen metabolism of ruminants according to experiments on the milch cow and wether. Z. Zucht.

 Reihe. B. Tiersucht u. Zuchtungbiol. 28, 451-8. C. A. 28, 5149.
- (26) EHRENBERG, P., and SCHOLTZ, A. (Germany)
 1934. Replacement of protein by ammonium carbonate in the feeding of milch
 cows. III. Biochem. Z. 270, 188-202. C. A. 28, 5108. cf. C. A. 27,
 2186.
- (27) EHRENBERG, P., MULLER, B., DIETRICHS, F., and HOTZEL, K. (Germany)
 1934. The substitution of ammonium bicarbonate for oil cake protein in the feeding of milk cows. Biedermauns Zentr. B. Tierernehr 6, 425-40.
 C. A. 28, 6876.
- (28) WINDHEUSER, C., HOFFMANN, O., and OHLMER, E. (Germany)
 1935. Ammonium salts in silage making. Tierernahrung 7, 372-81. C. A. 30,
 531.
- (29) MANGOLD, E., and STOTZ, H. (Germany)

 1936. Experiments on the nitrogen balance of cattle with urea and
 "Amidflocken" (urea-treated potato flakes) as a substitute for
 protein. Landw. Vers. Sta. 127, 97-118.
- (30) CARSTENS, P., and MEHMER, A. (Germany)
 1937. Results of a feeding experiment with urea supplement using Hohenfleckvich cows in Boblingen. Forschungsdienst 4, 243-53. C. A.
 32, 5039.
- (31) FINGERLING, G., HIENTZSCH, B., KUNZE, H., and REIFGERST, K. (Germany)
 1937. Substitution of urea for proteins in cattle feed. Landw. Vers. Sta.
 128, 221-35.
- (32) KREBS, KURT (Germany)

 1937. Value of the amides in the feeding of cattle. Historical consideration of the development of the amide question, critical evaluation of the state of our present knowledge. Riedermanns Zentr. B.

 Tierernahr. 9, 294-507.
- (33) MANGOLD, E. (Germany)

 1937. The suitability and digestibility of some new feeding stuffs containing urea. Forschungsdienst 3, 606-8. C. A. 32, 5039.
- (34) MANGOLD, E., and STOTZ, M. (Germany)
 1937. Experiments on the health of sheep and the digestibility of new urea feeding stuffs. Landw. Vers. Sta. 128, 199-204.
- (35) NEHRING, K., and SCHRAMM, W. (Germany)
 1937. Digestibility of some new urea feeding stuffs. Landw. Vers. Sta.
 128, 191-7.
- (36) WÖHLBIER, W., and WINDHEUSER, C. (Germany)
 1937. The digestibility of "Amidechnitzeln". Landw. Vers. Sta.
 128, 205-210.

- (37) SCHMIDT, J. and KLIESCH, J. (Germany)
 1937. Sparing of the protein of feeding stuffs by nonprotein nitrogenous compounds. Forschungsdienst 4, 132-6. C. A. 32, 5039.
- (38) SCHMIDT, J. KLIESCH, J., KAMPFFER, A., and KREBS, K. (Germany)
 1937. Experiments with urea and glycine as protein substitutes in the
 feeding of milk cows. Forschungsdienst 4, 229-43. C. A. 32, 5039.
- (39) SCHMIDT, J., KLIESCH, J., and KAMPFFER, A. (Germany)
 1937. Further studies of the protein-sparing effect of feeding urea supplement to milk cows. Forschungsdienst 4, 439-43. C. A. 32, 5039.
- (40) BARTLETT, S., and COTTON, A. G. (Great Britain)
 1938. Urea as a protein substitute in the diet of young cattle. J. Dairy
 Res. 9, 263-72. C. A. 33, 1020.
- (41) CARSTENS, P., and PRUFER, J. (Germany)
 1938. Feeding amide flakes to laying hens. Zuchtungskunde 13, 109-19.
 C. A. 32, 5038.
- (42) EHRENBERG, P., NITSCHE, H., and MULLER, J. (Germany)
 1938. Report on protein substitutes (in feeding experiments) at Bettlern.
 Futtermittelk. 1, 33-71. C. A. 33, 1018.
- (43) FORSTHOFF, H. (Germany)
 1938. The new amide mixed feed. Zuckerrubenbau 20, 170-3.
- (44) MART, E. B., BOHSTEDT, G., DEOBALD, H. J., and WEGNER, M. I. (Wisconsin) 1938. The utilization of the nitrogen of urea and ammonium bicarbonate by growing calves. Proc. Am. Soc. An. Prod. 31, 333-6. Also see Wis. Expt. Sta. Bul. 442 (1938) and 446 (1939).
- (45) KIRSCH, W., and SAUER, F. (Germany)
 1938. The value of urea, glycine, "amidflocken" and amid schnitsel"
 for milk cows and growing sheep. Biedermanns Zentr. B.
 Tierernahr. 10, 451-80. C. A. 33, 6405.
- (46) LENKEIT, W., and BECKER, M. (Germany)
 1938. The fate of the urea of "Amidflocken" in the rumen. Z. Tierernahr,
 Futtermittelk. 1, 97-101. cf. C. A. 31, 8624.
- (47) NEHRING, K., and SCHRAMM, W. (Germany)
 1938. "Amides" as protein substitutes. V. Glucose ureide (feeding) to
 swine. Biedermanns Zentr. B. Tierernahr. 10, 525-48. C. A. 33, 6405.
- (48) RICHTER, K., and HERBST, J. (Germany)
 1938. Effects of urea and glycocoll as protein substitutes in the feeding
 of milk cows. Landw. Jahrb. 86, 22-51. C. A. 32, 9191.
- (49) SAUER, F. (Germany)
 1938. The role of urea in the metabolism of ruminants. Biedermanns.
 Zentr. B. Tierernahr. 10, 187-213. C. A. 32, 9211.

- (50) EHRENBERG, P., NITSCHE, H., and GAFFERT, H. (Germany)
 1939. Further experiments on feeding Amidschnitzel to milk cows. Z.
 Tierernahr. Futtermittelk. 2, 115-33. C. A. 33, 8713.
- (51) EHRENBERG, P. and STEINHARDT, R. (Germany)
 1939. Experiments on feeding with ammonium carbonate in Oberjohnsdorf,
 January to April, 1936. Z. Tierernahr, Futtermittelk. 2, 150-159.
- (52) HART, E. B., BOHSTEDT, G., DEOBALD, H. J., and WEGNER, M. I. (Wisconsin) 1939. The utilization of simple nitrogenous compounds such as urea and ammonium bicarbonate by growing calves. Jour. Dairy Sci. 22, No. 10, pp. 785-798.
- (53) MURRAY, C. A. and ROMYN, A. E. (South Africa)
 1939. Urea as a possible substitute for peanut cake for wintering young stock, Rhodesia Agr. J. 36, 554-9. C. A. 35, 1091.
- (54) NEHRING, K. (Germany)
 1939. Feeding trials of urea supplements (Amidschnitzel) for milk cows.
 Forschungsdienst 7, 86-98. C. A. 33, 5035.
- (55) NEHRING, K., and SCHRAMM, W. (Germany)
 1939. The influence of urea and glycine on the protein exchange and
 progress of growing sheep. The question of substituting amides
 for proteins. VII. Z. Tierernahr. Futtermittelk. 2, 201-38.
 C. A. 33, 8713.
- (56) RICHTER, FR., and MERGNER, H. (Germany)
 1939. Urea and glycine as protein substitutes in feeding in relation to
 their effect on the composition of cow milk, and on the adaptability
 of this milk for cheese-making. Molkerei-Ztg. (Hildeshein) 53,
 573-6, 598-601. C. A. 33, 8716.
- (57) ROBERTS, RICHARD G., and HORVITZ, HERMAN J. (U.S.A.)
 1939. Liquid ammonia as a dietary supplement. Trans. Illinois State
 Acad. Sci. 32, No. 2, 124-6.
- (58) SCHMIDT, JONAS, and KLIESCH, J. (Germany)
 1939. Amide feeding study on identical cattle twins. Zuchtungskunde 14,
 401-12. C. A. 34, 4422.
- (59) SCHMIDT, JONAS, KLIESCH, J., and KAEMPFFER, A. (Germany)
 1939. Further studies of the protein-sparing effect of feeding urea supplement to milk cows. Z. Tierernahr. Futtermittelk. 3, 162-74. C. A. 34, 8001.
- (60) SCHMIDT, J., and KLIESCH, J. (Germany) 1939. Studies on identical cattle twins with special consideration of the amide question. Zuchtungskunde 14, 193-204. C. A. 33, 8706.
- (61) STUDT, E. (Germany)
 1939. Amount and digestibility of the bacterial protein produced by
 zymogenic symbiosis in the paunch of ruminants on the basis of
 slaughtering results. Z. Tierzucht. Zuchtungsbiol. 44, 253-61.

- (62) WINDHEISER, C. (Germany)
 1939. Feeding fermented fodder which has been treated with ammonium
 carbonate to milk cows. Biedermanns Zentr. B. Tierernahr. 11,
 139-46. C. A. 33, 6405.
- (63) WORK, S. H., and HENKE, L. A. (Hawaii)
 1939. The value of urea as a protein-supplement replacement for dairy
 heifers. Proc. Am. Soc. An. Prod. 32, 404-6. C. A. 34, 5499.
- (64) ACKERSON, C. W., HAM, W. E., and MUSSEHL, F. E. (Nebraska)
 1940. Utilization of food elements by growing chicks. IX. N of urea.
 Nebr. Agr. Expt. Sta. Res. Bull. 120, 7 pp. cf. C. A. 34, 2889.
- (65) ARCHIBALD, J. G. (Massachusetts)
 1940. A study of urea as a partial substitute for protein in the ration
 of dairy cows. Mass. Bull. 378, p. 31.
- (66) KRISS, M. and MARCY, L. F. (Pennsylvania)
 1940. The influence of urea ingestion on the nitrogen balance and energy
 metabolism of rats. Jour. Nutr. 19, No. 2, pp. 151-160.
- (67) LENKEIT, W. and SCHLEINITZ, M. V. (Germany)
 1940, Feeding experiments with amide flakes in young fat sheep. J.
 Landwirtsch. 87, 268-274.
- (68) LUND, A. (Denmark)
 1940. Protein substitutes. Synthetic amides and bio-synthetic protein.
 Nord. Jordbrugsforskn. 159-165.
- (69) SCHMIDT, J., KLIESCH, J. and KAEMPFFER, A. (Germany)
 1940. Further studies on the protein-sparing effect of amide slices in
 feeding dairy cows. Ztschr. Tierernahrung Futtermittelk. 3, 162-174.
- (70) HARRIS, L. E. and MITCHELL, H. H. (Illinois)

 1941. The value of urea in the synthesis of protein in the paunch of the ruminant. I, II. Jr. Nutr. 22, No. 2, pp. 167-196, figs. 2.

 I. In maintenance (pp. 167-182). II. In growth (pp. 183-196).
- (71) KLEIN, W., and MULLER, R. (Germany)
 1941. Protein minimum, zymogenic symbiosis and the production of
 protein by bacteria in the rumen from non protein nitrogenous
 compounds. Ztschr. Tierzucht, Zuchtungsbiol., 48, 255-276
 M. A. & R. 13, 486 see also 9, 1143.
- (72) MILLAR, H. C. (U. S. A.)
 1941. Preparation of ammoniated sugar-beet pulp and corn silage. Ind. Eng.
 Chem. 33, 274-8.
- (73) OWEN, E. C., SMITH, J. A. B., and WRIGHT, N. C. (Great Britain)
 1941. Chemical substitutes for dietary protein. Nature 147, 710-11.
 C. A. 35, 5952.
- (74) WEGNER, M. I., BOOTH, A. N., BOHSTEDT, G., and HART, E. B. (Wisconsin)
 1941. Preliminary observations on chemical changes of rumen ingesta with
 and without urea. J. Dairy Sci. 24, 51-6.

- (75) WEGNER, M. I., BOOTH, A. N., BOHSTEDT, G., and HART, E. B. (Wisconsin)
 1941. The utilization of urea by ruminants as influenced by the level of protein in the ration. J. Dairy Sci. 24, 835-44.
- (76) AXELSSON, JOEL (Sweden)
 1942. Value and utilization of urea in animal nutrition. Kgl. Lantbruks.Akad. Tid. 81, 159-173.
- (77) BICE, C. M., and DEAN, L. A. (Hawaii)
 1942. Utilization of urea nitrogen by growing chicks. Poul. Sci. 21,
 No. 1, pp. 15-17.
- (78) JOHNSON, B. C., HAMILTON, T. X., MITCHELL, H. H., and ROBINSON, W.B. (Illinois) 1942. The relative efficiency of urea as a protein substitute in the ration of ruminants. Jour. Anim. Sci. 1, No. 3, pp. 236-245.
- (79) ULVESLI, O. (Norway)
 1942. Experiments with reduced protein and urea for milk cows.
 Landbrukshogsk. Inst. husdyrernaering foringsloere, Rep. No. 20, pp. 4
 Repr. from Norsk Landbruk, 1942, No. 34-35, 352-355.
- (80) ARCHIBALD, J. G. (Massachusetts)
 1943. Feeding urea to dairy cows. Mass. Sta. Bul. 406, pp. 16.
- (81) BROUWER, E., FRENS, A. K., and STONEBRINK, B. (Netherlands)
 1943. The protein value of urea and ammonium lactate for dairy cows.
 Versl. RijkslandbProefst., 's Grav. 49, 407-559.
- (82) BULLISON, A. E. (Mississippi)
 1943. More carotene, palatability, food value after urea treatment of sorghum silage. Miss. Farm Res., Vol. 6, No. 4, p. 8.
- (83) HARRIS, LORIN E., WORK, S. H., and HENKE, L. A. (Hawaii)
 1943. The utilization of urea and soybean oil meal N by steers. J.
 Animal Sci. 2, 328-35.
- (84) LOOSLI, J. K., and McCAY, C. M. (New York)
 1943. Utilization of urea by young calves. Jour. Nutr. 25, No. 2,
 pp. 197-202.
- (85) NEHRING, K., and SCHRAMM, W. (Germany)
 1943. Utilization of amides from molasses and from "N-straw" and "N-slices"
 by growing ruminants. Question of protein replacement by "amides". 8.
 Ztschr. Tierzucht. Zuchtungsbiol. 54, 238-259.
- (86) OWEN, E. C., SMITH, J. A. B., and WRIGHT, N. C. (Great Britain)
 1943. Urea as a partial protein substitute in the feeding of dairy cattle.
 Biochem. J. 37, 44-53.
- (87) PEARSON, R. M., and SMITH, J. A. B. (Great Britain)
 1943. The utilization of urea in the bovine rumen, I-III. I. Methods
 of analysis of the rumen ingesta and preliminary experiments in vivo.
 II. The conversion of urea to ammonia. III. The synthesis and breakdown of protein in rumen ingesta. Biochem. Jour. 37, No. 1,
 pp. 142-148; 148-153, illus. 6; 153-164, illus. 6.

- (88) RUPEL, I. W., BOHSTEDT, J., and HART, E. B. (Wisconsin)
 1943. The comparative value of urea and linseed meal for milk production.
 J. Dairy Sci. 26, 647→64.
- (89) WORK, S. H., HAMRE, C. J., HENKE, L. A. and HARRIS, L. E. (Hawaii)
 1943. A note on the effect on the kidneys and livers of feeding urea to
 steers fattening in dry lot and on pasture. J. of Anim. Sci. 2,
 166-9.
- (90) BRIGGS, H. M., GALLUP, W. D., and DARLOW, A. E. (Oklahoma)
 1944. The utilization of urea by beef steers. Jr. Anim. Sci. 3, 436.
- (91) CONNELL, W. E., TOM, R. C., MAYNARD, E. J., DAHLBERG, H. W., and MILLAR, H. C. (Colorado)

 1944. Ammoniated beet pulp and urea tested as protein sources for fattening of cattle. Colo. Farm Bul. No. 5, pp. 9-12.
- (92) CULLISON, A. E. (Mississippi)
 1944. The use of urea in making silage from sweet sorghums. J. Anim. Sci. 3,
 pp. 59-62.
- (93) DUPONT (U. S. A.)

 1944. DuPont announces "Two-Six-Two" feed compound for ruminants. Development of a special free-flowing urea product for exclusive use in feeds for ruminants. Agr. News Letter Vol. 12 No. 3.
- (94) DUPONT (U.S.A.)
 1944. Cornell animal husbandmen review data on use of urea in dairy rations.
 Leaflet by Cornell University entitled "Urea as a substitute for protein in rations for dairy animals". Agr. News Letter (DuPont)
 Vol. 12, No. 5.
- (95) HASTINGS, W. H. (U. S. A.)
 1944. The use of urea in commercial dairy feeds. Jour. Dairy Sci. 27,
 No. 12, pp. 1015-1021.
- (96) JOHNSON, B. C., HAMILTON, T. S., ROBINSON, W. B., and GAREY, J. C. (Illinois) 1944. On the mechanism of non-protein-nitrogen utilization by ruminants.

 Jour. Anim. Sci. 3, No. 3, pp. 287-298.
- (97) LARDONIS, C. C., MILLS, R. C., ELVEHJEM, C. A. and HART, E. B. (Wisconsin) 1944. Urea improves rumen synthesis of the vitamin B complex. Jour. Dairy Sci. 27, No. 7.
- (98) MEANS, R. H. (Mississippi)
 1944. The use of urea in making silage from sweet sorghum. Miss Farm.
 Res., No. 5, p. 8.
- (99) MILLAR, H. C. (U. S. A.)
 1944. Ammoniated sugar beet pulp as a new nitrogenous feed for ruminants.
 Jour. of Dairy Sci. Vol.XXVII, No. 3, 225.

- (100) MILLS, R. C., LARDINOTS, C. C., RUPEL, I. W., and HART, E. B. (Wisconsin)
 1944. Utilization of urea and growth of heifer calves with corn molasses
 and cane molasses as the only readily available carbohydrate in the
 ration. Jour. Dairy Sci. 27, No. 7, pp. 571-578.
- (101) SMITH, J. A. B., and BAKER, F. (Great Britain)

 1944. The utilization of urea in the bovine rumen. IV. The isolation of
 the synthesized material and the correlation between protein synthesis
 and microbial activities. Biochem. Jour., 38, No. 5, pp. 496-505.
- (102) WOODWARD, T. C., and SHEPHERD, J. B. (U. S. A.)
 1944. Synthetic urea proves satisfactory for dairy rations. Press Release
 2577~44.
- (103) BRIGGS ET AL. (Oklahoma)
 1945. Urea as a partial protein supplement for beef cattle. Okla. Mimeo.
 136, p. 25.
- (104) DUPONT (U. S. A.)

 1945. All experiments show urea, properly used, safe, efficient protein substitute. Agr. News Letter (DuPont) Vol. 13, No. 2.
- (105) GALLUP, W. D. (Oklahoma)
 1945. The utilization of simple compounds of nitrogen by ruminants. Okla.
 Acad. Sci. Proc. 25, pp. 54-55.
- (106) HARRIS, L. E. (Hawaii)
 1945. The quantitative utilization of urea and soybean oil meal nitrogen
 by steers. Acad. Sci. Proc. (1940/43): 16/18: 12.
- (107) LOOSLI, J. K., and HARRIS, L. E. (New York)
 1945. Methionine increases the value of urea for lambs. Jour. Anim. Sci. 4,
 No. 4, pp. 435-437. (Cornell University)
- (108) SUTTON, T. S. (Ohio)
 1945. Urea as a substitute for protein. Flour & Feed, Vol. 45, No. 10,
 p. 24, p. 28.
- (109) BRIGGS, H. M., GALLUP, W. D., DARLOW, A. E., STEPHENS, D. F., and KINNEY, C. (Oklahoma)
 1946. The performance of urea as an extender of protein. Jr. of Anim. Sci. V. 5, No. 4, page 393.
- (110) HELMAN, M. B. (South America)
 1946. Alimentacion de las vacas lechareas. Camp (Buenos Aires)30(358):8-9.
- (111) JONES, I. R., and HAAG, J. R. (Oregon)
 1946. Utilization of non-protein nitrogen by dairy heifers. J. Dairy Sci.
 29, 535-536.
- (112) KLOSTERMAN, E. W. (New York)
 1946. Protein requirements and value of urea for fattening lambs. Thesis,
 Cornell Univ.

- (113) McCLYMONT, G. L. (Australia)
 1946. Protein substitutes for ruminants. The Austral. Vet. J., pp. 95-98.
- (114) POPOV, I. S. (Russia)
 1946. Urea as a partial substitute for protein in animal rations. Moskov.
 Ordena Lenina Sel'skokhoz. Akad. im. K. A. Timiriazeva. Dok. No. 3,
 p. 122-123.
- (115) SCHMOLL, M., and SCHMALZ, F. D. (U. S. A.)
 1946. Determination of urea and ammoniacal nitrogen in feeds. Cereal
 Chem. 23, 600-602.
- (116) SNAPP, R. R. (France)
 1946. L'urea nell' alimentazione della vacca da latte. Zooprofilassi 1(1),
 21-23.
- (117) WILLETT, E. L., HENKE, L. A., and MARUYAMA, C. (Hawaii)
 1945/46. Urea as a source of protein in rations for dairy cows (Abs.)
 Hawaiian Acad. Sci. Proc. (1945/46) 21:6-7, J. Dairy Sci. 29, 629.
- (118) BARTLETT, S., and BLAXTER, K. L. (England)
 1947. The value of urea as a substitute for protein in the rations of dairy
 cattle. I. Field trials with dairy cows. J. Agr. Sci. (London)37(1),
 32-44.
- (119) BRIGGS, H. M., GALLUP, W. D., DARLOW, A. E., STEPHENS, D. F., and KINNEY, C. (Oklahoma)
 1947. Urea as an extender of protein when fed to cattle. Jr. of An. Sci.
 V. 6, 445-60.
- (120) BRIGGS, H. M., GALLUP, W. D., DARLOW, A. E., STEPHENS, D. F., DINNING, J., and CAMPBELL, W. D. (Oklahoma)

 1947. Urea as a partial protein (nitrogen) supplement for beef cattle.

 Okla. Agr. Exp. Sta. Misc. Publ. MP-11, p. 26. (Progress Reports; Feeding Tests with Sheep, Swine, and Beef Cattle, 1946-47).
- (121) LOFGREEN, G. P., LOOSLI, J. K., and MAYNARD, L. A. (New York)
 1947. The influence of protein source upon nitrogen retention by sheep.
 Jour. Anim. Sci. 6, 343.
- (122) OSEBOLD, J. W. (Oregon)
 1947. Urea poisoning in cattle. North Amer. Vet. 28, 89-91.
- (123) PETERSEN, NIS. (Sweden)
 1947. Efficient feeding of milk cows. Molkerei-Ztg. 1, 119-20; Chem.
 Zentr. II, 468.
- (124) ROSS, O. B., ET AL. (Oklahoma)
 1947. A comparison of dried sweet potatoes, mungbeans and corn, and a
 comparison of urea pellets, ground mungbeans and cottonseed meal,
 for fattening steer calves. Okla. Agr. Exp. Sta. Misc. P. MP-111,
 p. 39-44.
- (125) WESTON, V. (Australia)
 1947. Urea feeding trial. J. Agric. W. Austral., 1948. 25, 419-425.
 (Denmark Res. Stat.).

- (126) BEGGS, A. D. (U. S. A.)

 1948. Urea proves economical protein supplement for cattle, sheep. Mont.
 Farmer-Stockman 35 (23): 4.
- (127) BOWSTEAD, J. E., and FREDEEN, H. T. (Canada)
 1948. Feeding urea to dairy cows with special reference to the
 palatability of feed mixtures containing urea. (Univ. Alberta,
 Edmonton, Can.). Sci. Agr. 28, 66-78.
- (128) BRIGGS, H. M., GALLUP, W. D., HELLER, V. G., and DARLOW, A. E. (Oklahoma)
 1948. Urea as an extender of protein when fed to lambs. J. An. Sci. 7, 35-40.
- (129) DINNING, J. S. et al. (U. S. A.)

 1948. Effect of orally administered urea on the ammonia and urea concentration in the blood of cattle and sheep, with observations on blood ammonia levels associated with symptoms of alkalosis. Amer. J. Physiol. 153 (1), 41-46.
- (130) HAMILTON, T. S., ROBINSON, W. B., and JOHNSON, B. CONNER (Illinois)
 1948. Further comparisons of the utilization of nitrogen of urea with that
 of some feed proteins by sheep. Jour. Anim. Sci. 7, 26-34.
- (131) McGLYMONT, G. L. (Australia)
 1948. Comparative value of urea and protein for supplementing low-protein rations for growing cattle. Aust. Vet. Jr. 24, 197.
- (132) OGDEN, E., and TRIPP, E. (U. S. A.)

 1948. Influence of diuresis on urea production in the fasting dog.

 Amer. J. Physiol. 153 (1), 190-196.
- (133) OLCESE, ORLANDO, and PEARSON, P. B. (U. S. A.)
 1948. Value of urea in the diet of rabbits. Proc. Soc. Exp. Biol. and Med.
 69, 2, p. 377.
- (134) PARISI, O. (Italy)
 1948. The nutritive value of the fodder called "ureate mixture". (Abs.)
 Zootec. e Vet. 3(6), 33-34.
- (135) STEPHENS, D. F., ROSS, O. B., MACVICAR, R. W., CAMPBELL, W. D., and DARLOW, A. E. (Oklahoma)

 1948. Protein supplements for wintering two-year-old steers on range grass.

 Okla. Agr. Exp. Sta. Misc. Pub. MP-13, 28-33.
- (136) BAKER, M. L., ARTHAUD, V. H. and RUBY, ELLIS (Nebraska)
 1949. Dehydrated alfalfa and urea as sources of supplementary protein for
 fattening cattle, Cattle Prog. Rpt. No. 190.
- (137) DINNING, J. S., BRIGGS, H. M., and GALLUP, W. D. (U. S. A.)
 1949. The value of urea in protein supplements for cattle and sheep.
 J. Anim. Sci. 8, 24.
- (138) DINNING, J. S., BRIGGS, H. M., ET AL. (U. S. A.)
 1949. Urea in livestock feeding. J. Amer. Vet. Med. Assn. 114, 90, a review article.

- (139) DOWE, T. W., ARTHAUD, V. H., GREGORY; K., and BAKER, M. L. (Nebraska)
 1949. Wheat bran and urea as a source of supplementary protein for
 fattening cattle. Cattle Prog. Rpt. 191.
- (140) GALLUP, W. D., and BRIGGS, H. M. (U. S. A.)
 1949. Calcium and phosphorus balance studies with lambs on urea ration.
 J. Anim. Sci. 8, 619.
- (141) GALL, L. S., ET Al. (U. S. A.)

 1949. Some preliminary studies on bacteria isolated from ruminants fed urea ration. Soc. Amer. Bac. Ab. Papers 49, 62-63.
- (142) KILDEE, H. H., and staff (Iowa)
 1949. Modifications of a standard feed mixture for fattening lambs.
 Iowa Agr. Expt. Sta. A. H. Leaflet No. 172.
- (143) KILDEE, H. H., and staff (Iowa)
 1949. Corn silage with and without additional corn grain, urea and ground
 corn cobs for fattening yearling steers. Iowa Agr. Exp. Sta. A. H.
 Leaflet No. 173.
- (144) LEITCH, L. C., and DAVIDSON, W. M. (Canada) 1949. 3. Synthesis of urea containing N¹⁵. Sci. Agric. 29, 173-184; 185-188; 189-190.
- (145) LOOSLI, J. K., ET AL. (New York)
 1949. Synthesis of amino acids in the rumen. Science, Vol. 110.
- (146) LOUSSE, A., and CORDIEZ, E. (Belgium)
 1949. Protein re-feeding and sperm production in the ram. Non-protein nitrogen and sperm production in the ram. C. R. Soc. Biol. 143, 1404-1406.
- (147) NEBRASKA STATION REPORT.

 1949. Feeding urea to growing and fattening calves (use of urea and soybean meal.) Nebr. Sta. Rpt. 62nd published May 1949, page 75.
- (148) ROSS, O. B., STEPHENS, D. F., DARLOW, A. E., MACVICAR, R. W., and CAMPBELL, W. D. (Oklahoma)
 1949. A study of various substitutes for corn and cottonseed cake in fattening beef calves. C. A. 43, 17, p. 6712b. Okla. Exp. Sta. M. P. 15, 3-9.
- (149) ROSE, W. C., SMITH, N. C., WOMAK, M., and SHAVE, M. (Illinois)
 1949. Utilization of the nitrogen of ammonium salts urea and certain other compounds in the synthesis of nonessential amino acids in vitro.
 Jour. Biol. Chem. 181, 307-16.
- (150) SCHLICT, W. (Indiana)
 1949. Urea--source of protein. Purdue Agr. 41, 10.
- (151) TERROINE, T. (France)
 1949. Feed value of non-protein nitrogen (urea, amide, ammonia). Ann.
 Nutrition et Aliment 3, 49-73 (review).
- (152) ULVESLI, O. (Norway)
 1949. Experiments on urea and various intakes of protein for dairy cows.
 Norges Landbrukshogsk. Foringsforsek. Berein, No. 65, pp. 82.

- (153) WATSON, C. J., KENNEDY, J. W., DAVIDSON, W. M., ROBINSON, C. H., and MUIR, G. W. (Canada)

 1949. The nutritive value of nitrogenous compounds for ruminants. 1. The nutritive value of urea as a protein supplement. Scien. Agr. 29, 173-184.
- (154) WATSON, C. J., DAVIDSON, W. M., and KENNEDY, J. W. (Canada)
 1949. The nutritive value of nitrogenous compounds for ruminants. II. The
 formation of body protein from urea labelled with the isotope N¹⁵.
 Scien. Agric. 29, 185-188.
- (155) BAKER, J. L. (U. S. A.)
 1950. Feeding urea to growing and fattening cattle. Feedstuffs 22(48):28,
 30, 32, 34-37.
- (156) BAKER, M. L. (U. S. A.)
 1950. Urea in ruminant nutrition. Feedstuffs 22(36): 38-40, 42, 44-46.
- (157) BEESON, W. M. (U. S. A.)
 1950. Corn cobs, molasses and urea for cattle feeding. (Sum.) Grain & Feed
 Rev. 40, 14.
- (158) BEESON, W. M. (U. S. A.)
 1950. Corn cobs, molasses, urea for cattle feeding. Feedstuffs 22(47): 20-21.
- (159) BEESON, W. M. and PERRY, T. W. (Indiana)
 1950. Wintering cattle on corn cobs. Indiana Agr. Exp. Sta. Mimeo. A.H. 48.
- (160) BOHSTEDT, G. (U. S. A.)
 1950. Urea in livestock feeding. Feedstuffs 22(47): 21-24.
- (161) BUTTON, D. J. (Iowa).
 1950. Faster beef gains with protein substitutes from the air. Iowa Agr.
 48(3):10, 11, 19.
- (162) ELMSLIE, WALLACE P. (U. S. A.)
 1950. Feed for Livestock. U.S.Patent 2,508,599(to Moorman Manufacturing Co.)
- (163) FERRANDO, R. (France)
 1950. Comparaison de l'action due tourteau d'arachide et de l'uree sur le
 bilan azote de la brebis. Acad. d'agr. de France. Compt. Rend. 36:
 354-355.
- (164) FRENS, A. M. (Netherlands)
 1950. Is urea of value as a protein supplement in cattle feeding.
 Landbouwvoor lichtingsdienst. Maandbl. 7:62-63.
- (165) GALLUP, W. D., ET AL. (U. S. A.)
 1950. Possible effect of urea and source of protein supplement on vitamin A utilization by sheep. J. Anim. Sci. 9, 656.
- (166) GARST, J. and GARST, P. (U. S. A.) 1950. Cow feed from air. Farm Q. 5(2), 59-61, 137-139.
- (167) GLASSCOCK, R. S., et al. (U. S. A.)
 1950. Urea as a protein substitute for steers fed citrus molasses (Abs.)
 J. Anim. Sci. 9:657.

- (168) HUSH, H. (U. S. A.)
 1950. Test new cattle feeds. Wallace's Farmer & Iowa Homestead 75(13):10.
- (169) KIRK, W. G., and HODGES, E. M. (Florida)
 1950. Initial results with urea for protein encouraging, Range Cattle
 Station States. Fla. Cattleman 15(3), 54-55.
- (170) KNODT, C. B., WILLIAMS, J.B., and BRUMBAUGH, J. (Pennsylvania)
 1950. Ammoniated beet molasses in the rations of dairy calves (Abstr.)
 J. Animal Sci. 9, 661.
- (171) LESTER, J. (U. S. A.)

 1950. Urea—yeast seen as cheap protein source for feed. Mont. Farmer—

 Stockman 37(15), 28-29.
- (172) McNAUGHT, M. L., OWEN, E. C., and SMITH, J. A. B. (Great Britain)
 1950. The utilization of non-protein nitrogen in the bovine rumen. 6. The
 effect of metals on the activity of the rumen bacteria. Biochem.
 Jour. 46, 36-43.
- (173) McNAUGHT, M. L., SMITH, J. A. B., HENRY, K. M., and KON, S. K. (Great Britain)
 1950. The utilization of non-protein nitrogen in the bovine rumen. 5. The
 isolation and nutritive value of a preparation of dried rumen bacteria.
 Biochem. Jour. 46, 32-36.
- (174) MARTIN, R. (U. S. A.)
 1950. Steers gain fast on low cost cob, urea, molasses mixture. FarmerStockman 53(6): 12, 18.
- (175) POPE, L. S., GALLUP, W. D., and WHITEHAIR, C. K. (U. S. A.)
 1950. Ration factors affecting efficiency of utilization of urea nitrogen.
 J. Anim. Sci. 9:664-665.
- (176) ARIAS, CARLOS, BURROUGHS, WISE, GERLAUGH, PAUL, and BETHKE, R.M. (U.S.A.)
 1951. The influence of different amounts and sources of energy upon in
 vitro urea utilization by ruman microorganisms. Jour. of Anim.
 Sci. 10:3.
- (177) BEESON, W. M., and PERRY, T. W. (Indiana)
 1951. The effect of supplementing corn cob rations for cattle with urea,
 fish meal, active dry yeast and vitamin B
 Mimeo. A. H. 58.
- (178) BEESON, W. M., and PERRY, T. W. (Indiana)
 1951. The supplementation of ground corn cobs, soybean straw, oat straw,
 corn silage and grass silage for wintering steer calves and yearlings. J. Animal Sci. 10, 1068.
- (179) BELL, M. C., GALLUP, W. D., and WHITEHAIR, C. K. (Oklahoma)
 1951. Utilization by steers of urea nitrogen in rations containing
 different carbohydrate feeds. J. Anim. Sci. 10, 1037 (abst.)
- (180) BENTLEY, O. G., LATONA, A., DePAUL, P., and HUNT, C. H. (Ohio)
 1951. Factors affecting the digestibility of cellulose of poor quality
 hay. J. Animal Sci. 10, 1038.

- (181) BLOCK, RICHARD J. (U. S. A.)

 1951. Feed additive to low-nitrogen cattle feed. U.S. Patent 2,569,282.

 (to the Borden Co.)
- (182) BRINEGAR, M. J. (Nebraska)
 1951. Practical explanation of some terms in animal nutrition—vitamin B₁₂,
 antibiotics, amino acids, urea. Nebr. Agr. Col. Ext. E. C. 252.
 Rev. Feb. 1951.
- (183) BURROUGHS, WISE, LATONA, ANTHONY, DEPAUL, PETER, GERLAUGH, PAUL, and BETHKE, R.M. (U.S.A.)

 1951. Mineral influences upon urea utilization and cellulose digestion by rumen microorganisms using the artificial rumen technique. Jour. of Animal Sci. 10:3, p. 693.
- (184) BURROUGHS, WISE, ARIAS, CARLOS, DEPAUL, PETER, GERLAUGH, PAUL, and BETHKE, R.M. (U. S. A.)

 1951. In vitro observations upon the nature of protein influences upon urea utilization by ruman microorganisms. Jour. of Animal Sci. 10:3,p.672.
- (185) CLARK, R. (South Africa)
 1951. Studies on the alimentary tract of the Merino sheep in South Africa 19. The toxicity of urea to sheep under different conditions.
 Onderstepoort Jr. Vet. Res. 26, No. 1.
- (186) CULBERTSON, C. C., SHEARER, P. S., HAMMOND, W. E., and MOORE, SCOTT (Iowa)
 1951. Protein substitutes with and without molasses for fattening yearling
 steers II. 33rd Annual Cattle Feeders' Day. A.H.Leaflet No. 179.
- (187) CUNHA, T. J. (Florida)
 1951. Urea good protein source but care must be used in mixing it. Fla.
 Cattleman 15(5):38-39.
- (188) GALLUP, WILLIS D., BRIGGS, H. M., POPE, L. S., and TUCKER, JAMES (U. S. A.)

 1951. Comparative effect of vitamin A metabolism in sheep of urea, soybean oil meal and cottonseed meal as sources of protein. Jour. of Animal Sci. 10:1, p. 251.
- (189) GLASSCOCK, R. S., GUILFORD, H. E., PEARSON, A. M. (Florida)
 1951. Urea shows good result at Gainesville, Fla. Cattleman 15(4): 49, 51.
- (190) HAGLE, J. E. (U. S. A.)

 1951. Experiments show that urea builds live stock condition at low cost.

 Western Live Stock 36(6):12, 72-73.
- (191) JORNLIN, F. M. (U. S. A.)
 1951. Urea, its use in ruminant feeds. Grain & Feed J. Consolidated 107(2):
 30-31.
- (192) KNODT, C. B., WILLIAMS, J. B., and BRUMBAUGH, J. (Pennsylvania)
 1951. Ammoniated cane molasses and similar products in the rations of
 dairy calves. J. Dairy Sci. 34, 1042-1046.

- (193) LEDOCHOWSKI, J. SANTA MARIA (Spain)
 1951. Utilizacion de la urea en la alimentacion del ganado. Agricultura
 (Madrid) 20:282-285.
- (194) LOOSLI, J. K., MORRISON, F. B., and MAYNARD, L. A. (U. S. A.) 1951. Urea in dairy rations. Feedstuffs 23(32):30-31.
- (195) MAGRUDER, N. D., KNODT, C. B., and WILLIAMS, P. S. (Pennsylvania)
 1951. The value of ammoniated industrial byproducts in the rations of dairy
 heifers and cows. J. Animal Sci. 10: 1055-56 (abst.)
- (196) MISHLER, D. H. (U. S. A.)
 1951. Know urea to use it well in dairy feeds. West. Feed & Seed 6(4):48, 66.
- (197) PEIRCE, A. W. (Australia)
 1951. The effect of the ingestion of urea on the rate of wool production
 by Merino sheep. Australian J. Agr. Research 2, 435-46.
- (198) PEIRCE, A. W. (Australia)
 1951. The influence of the amount of starch on the utilization of urea by sheep. Australian J. Agr. Research 2, 447-56.
- (199) POPE, L. S. (U. S. A.)
 1951. Urea and rumen bacteria (abs.) Feedstuffs 23:12, 64-65.
- (200) POPE, L. S., ET AL. (Oklahoma)
 1951. The use of urea in rations for cattle and sheep. Okla. Agr. Exp. Sta.
 Misc. P. MP-22:59-62.
- (201) SMITH, I. T. (Montana)
 1951. Dairy cows make their own proteins from urea. Mont. Farmer-Stockman
 38(11):40-42.
- (202) THOMAS, W. E., ET AL. (U. S. A.)
 1951. The Utilization of inorganic sulfates and urea nitrogen by lambs.
 J. Nutr. 43:515-523.
- (203) TILLMAN, A. D., SINGLETARY, C. B., KIDWELL, J. F., and BRAY, C. I. (U. S. A.) 1951. Methods of feeding cane molasses and urea to beef cattle. Jour. of Animal Sci. 10:4, p. 939.
- (204) TILLMAN, A. D., and KIDWELL, J. F. (Louisiana)
 1951. The value of ammoniated condensed distillers molasses solubles as a
 feed for beef cattle. J. Animal Sci. 10: 1063-4 (abst.)
- (205) WILLIAMS, V. J., and MOIR, R. J. (Australia)
 1951. Ruminal flora studies in the sheep. III The influence of different sources of nitrogen upon nitrogen retention and upon the total number of free microorganisms in the rumen. Australian J. Sci. Research B4, 377-90.
- (206) BOHMAN, V.R., CHI, I-LUN ALLEN, HARRIS, L. E., BINNS, W., and MADSEN, L.L.(Utah)
 1952. The effect of DDT upon the digestion and utilization of certain
 nutrients by dairy cows. J. Dairy Sci. 35, 6-12

Prepared by N. R. ELLIS
Bureau of Animal Industry.